



Test Report

Report No : TST25235600062CR

Date: Nov.05, 2025

Page 1 of 12

Applicant : Anhui Ruitu Communication Equipment Co., Ltd.
Address : East of Changning Road and North of Ronghua Road, Chahe Economic Development Zone,
Laian County, Chuzhou City, Anhui Province, China.
Manufacturer : Anhui Ruitu Communication Equipment Co., Ltd.
Address : East of Changning Road and North of Ronghua Road, Chahe Economic Development Zone,
Laian County, Chuzhou City, Anhui Province, China.

The following sample(s) was /were submitted and identified on behalf of the clients as :

Sample Name : HDPE Plastic Container
Model No. : 1L
Additional Model : 2L, 2.5L, 3L, 4L, 5L, 6L, 10L
Sample Received Date : Nov.02, 2025
Testing Period : Nov.02, 2025 To Nov.05, 2025
Test Requested : In accordance with Commission Regulation(EU)No.2017/752,
(EU)No.2024/3190,(EU)No.2020/1245, (EU) No.10/2011, (EC) No.1935/2004 and
materials and articles intended to come into contact with food.
Test Method : Please refer to next page(s).
Test Result : Please refer to next page(s).

Signed for and on behalf of



Scan QR code
verification of authenticity

Andy Zheng
Technical Director

This report shall not be altered, increased or deleted. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel:+86-0769-85088050 E-mail :tst@tst-test.com Http:www.tst-test.com



Test Report

Report No : TST25235600062CR

Date: Nov.05, 2025

Page 2 of 12

Result Summary:

Test Requested	Conclusion
Sensory test-taste and odour to the integrate product	Pass
Overall Migration in 10% ethanol	Pass
Overall Migration in 3% acetic acid	Pass
Overall Migration in 50% ethanol	Pass
Overall Migration in 20% ethanol	Pass
Specific Migration of 19 Heavy metals in 3% acetic acid	Pass
PAH content	Pass
Migration of PAH	Pass
Total BPA content	Pass
Specific Migration of Aromatic amine (PAA) in 3% acetic acid	Pass
Specific Migration of Octene in olive oil	Pass
Specific Migration of Hexene in olive oil	Pass
Visible Color Migration	Pass
Specific Migration of Phthalates	Pass
Phthalate content	Pass

This report shall not be altered, increased or deleted. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel:+86-0769-85088050 E-mail :tst@tst-test.com Http:www.tst-test.com



Test Report

Report No : TST25235600062CR

Date: Nov.05, 2025

Page 3 of 12

Component list:(For chemical Test):

No.	Component Description
1	White plastic

Test Result(s):(No.1)

1.1.Sensory test-taste and odour to the integrate product

Sensorial examination odour and taste test

Test Method: Sensorial examination odour and taste test with reference to DIN 10955:2024-01;

Test condition: Odour test 70℃,2h;

Taste test: sunflower oil ,70℃,2h.

Test Item (s)	Result	Limit
Sensorial examination odour (Point scale)	0	2.5
Sensorial examination taste (Point scale)	0	2.5

Note:

Odour/Taste Grade

0= No perceptible difference

1= Just perceivable difference(still difficult to define)

2= Slight difference

3= Marked difference

4= Strong difference

5. This part of the test is holistic test

This report shall not be altered, increased or deleted. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

E-mail :tst@tst-test.com

Http:www.tst-test.com



Test Report

Report No : TST25235600062CR

Date: Nov.05, 2025

Page 4 of 12

1.2.Overall Migration

Method: Refer to EN1186-1:2002,EN1186-3:2022

Material	Test Condition	Limit (mg/dm ²)	Result(mg/dm ²)			Conclusion
			1st	2nd	3rd	
1	3% acetic acid, 70℃,2hours	10	6	<3	<3	PASS
	10% Ethanol, 70℃,2hours	10	<3	<3	<3	PASS
	20% Ethanol, 70℃,2hours	10	<3	<3	<3	PASS
	50% Ethanol, 70℃,2hours	10	<3	<3	<3	PASS

Note:

- 1.mg/dm² = milligram per square decimetre of surface area of material or article.
- 2.mg/kg = milligrams of the constituents released per kilogram of foodstuff.
- 3.The requirement in accordance with the Commission Regulation (EU) No.2020/1245.
- 4.Surface area/volume ratio in 0.45dm²/45mL.

This report shall not be altered, increased or deleted. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel:+86-0769-85088050 E-mail :tst@tst-test.com Http:www.tst-test.com



Test Report

Report No : TST25235600062CR

Date: Nov.05, 2025

Page 5 of 12

1.3. Specific Migration of 19 Heavy metals

Method: Refer to EN 13130-1:2004, was analyzed by ICP-OES.

Test Item(s)	Unit	Test conditions	Result(Migration of)			RL	Limit
			1st	2nd	3rd		
Aluminum(Al)	mg/kg	70°C, 2h, 3 %Acetic acid	N.D.	N.D.	N.D.	0.01	1
Antimony(Sb)	mg/kg		N.D.	N.D.	N.D.	0.01	0.04
Arsenic(As)	mg/kg		N.D.	N.D.	N.D.	0.01	N.D.
Barium(Ba)	mg/kg		N.D.	N.D.	N.D.	0.01	1
Cadmium(Cd)	mg/kg		N.D.	N.D.	N.D.	0.002	N.D.
Chromium(Cr)	mg/kg		N.D.	N.D.	N.D.	0.01	N.D.
Cobalt(Co)	mg/kg		N.D.	N.D.	N.D.	0.01	0.05
Copper(Cu)	mg/kg		N.D.	N.D.	N.D.	0.01	5
Europium(Eu)	mg/kg		N.D.	N.D.	N.D.	0.01	0.05
Gadolinium(Gd)	mg/kg		N.D.	N.D.	N.D.	0.01	0.05
Iron(Fe)	mg/kg		N.D.	N.D.	N.D.	0.1	48
Lanthanum(La)	mg/kg		N.D.	N.D.	N.D.	0.01	0.05
Lead(Pb)	mg/kg		N.D.	N.D.	N.D.	0.01	N.D.
Lithium(Li)	mg/kg		N.D.	N.D.	N.D.	0.01	0.6
Manganese(Mn)	mg/kg		N.D.	N.D.	N.D.	0.01	0.6
Mercury(Hg)	mg/kg		N.D.	N.D.	N.D.	0.01	N.D.
Nickel(Ni)	mg/kg		N.D.	N.D.	N.D.	0.01	0.02
Terbium(Tb)	mg/kg		N.D.	N.D.	N.D.	0.01	0.05
Zinc(Zn)	mg/kg		N.D.	N.D.	N.D.	0.1	5

Note:

1. mg/kg =milligrams per kilogram
2. N.D. = Not Detected (<RL)
3. RL=Reporting Limit

This report shall not be altered, increased or deleted. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel:+86-0769-85088050 E-mail :tst@tst-test.com Http:www.tst-test.com



Test Report

Report No : TST25235600062CR

Date: Nov.05, 2025

Page 6 of 12

1.4.PAH content Test Result:

Test Method: Refer to AfPS GS 2019:01 PAK, was analyzed by GC-MS.

Compound	CAS No.	Unit	Result	RL
(1) Naphthalene	91-20-3	mg/kg	N.D.	0.2
(2) Phenanthrene	85-01-8	mg/kg	N.D.	0.2
(3) Anthracene	120-12-7	mg/kg	N.D.	0.2
(4) Fluoranthene	206-44-0	mg/kg	N.D.	0.2
(5) Pyrene	129-00-0	mg/kg	N.D.	0.2
(6)Benzo[a]anthracene	56-55-3	mg/kg	N.D.	0.2
(7)Chrysene	218-01-9	mg/kg	N.D.	0.2
(8)Benzo[b]fluoranthene	205-99-2	mg/kg	N.D.	0.2
(9)Benzo[k]fluoranthene	207-08-9	mg/kg	N.D.	0.2
(10) Benzo[e]pyrene	192-97-2	mg/kg	N.D.	0.2
(11)Benzo[a]pyrene	50-32-8	mg/kg	N.D.	0.2
(12)Indeno[1,2,3-cd]pyrene	193-39-5	mg/kg	N.D.	0.2
(13)Benzo[g,h,i]perylene	191-24-2	mg/kg	N.D.	0.2
(14)Benzo[j]fluoranthene	205-82-3	mg/kg	N.D.	0.2
(15)Dibenzo[a,h]anthracene	53-70-3	mg/kg	N.D.	0.2
Sum of PAHs(No.2-No.5)	--	mg/kg	N.D.	--
Sum of PAHs(No.1-No.15)	--	mg/kg	N.D.	--

- Note :**
1. mg/kg=milligrams per kilogram
 2. N.D.=No Detection(<RL)
 3. RL=Reporting Limit

This report shall not be altered, increased or deleted. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel:+86-0769-85088050 E-mail :tst@tst-test.com Http:www.tst-test.com



Test Report

Report No : TST25235600062CR

Date: Nov.05, 2025

Page 7 of 12

AfPS GS 2019:01:Restraining maximum values for products

Parameter	Category 1	Category 2		Category3	
	Material indented to be put in the mouth or toys with intended skin contact (longer than 30s).	Materials not falling under category 1 with foreseeable contact to skin for longer than 30S (long-term skin)or frequent contact.		Materials not falling under category 1or2 with foreseeable contact to skin for less than 30S (short-term skin).	
		Toy under 2009/48/EC	Other products	Toy under 2009/48/EC	Other products
Naphthalene(NAP)	<1 mg/kg	<2 mg/kg	<2 mg/kg	<10 mg/kg	<10 mg/kg
Each of PAHs(No.6-No.15)	<0.2 mg/kg	<0.2 mg/kg	<0.5 mg/kg	<0.5 mg/kg	<1.0mg/kg
Sum of PAHs(No.2-No.5)	<1mg/kg	<5 mg/kg	<10 mg/kg	<20 mg/kg	<50 mg/kg
Sum of PAHs(No.1-No.15)	<1mg/kg	<5 mg/kg	<10 mg/kg	<20 mg/kg	<50 mg/kg

This report shall not be altered, increased or deleted. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel:+86-0769-85088050 E-mail :tst@tst-test.com Http:www.tst-test.com



Test Report

Report No : TST25235600062CR

Date: Nov.05, 2025

Page 8 of 12

1.5.Migration of PAHs

Test Method: 70°C, 2H, 3 %Acetic acid, Refer to In house method, was analyzed by GC-MS.

Compound	CAS No.	RL	Unit	Result (Migration of)			Limit
				1st	2nd	3rd	
(1) Naphthalene	91-20-3	0.2	mg/kg	N.D.	N.D.	N.D.	0.2
(2) Phenanthrene	85-01-8	0.2	mg/kg	N.D.	N.D.	N.D.	0.2
(3) Anthracene	120-12-7	0.2	mg/kg	N.D.	N.D.	N.D.	0.2
(4) Fluoranthene	206-44-0	0.2	mg/kg	N.D.	N.D.	N.D.	0.2
(5) Pyrene	129-00-0	0.2	mg/kg	N.D.	N.D.	N.D.	0.2
(6)Benzo[a]anthracene	56-55-3	0.2	mg/kg	N.D.	N.D.	N.D.	0.2
(7)Chrysene	218-01-9	0.2	mg/kg	N.D.	N.D.	N.D.	0.2
(8)Benzo[b]fluoranthene	205-99-2	0.2	mg/kg	N.D.	N.D.	N.D.	0.2
(9)Benzo[k]fluoranthene	207-08-9	0.2	mg/kg	N.D.	N.D.	N.D.	0.2
(10) Benzo[e]pyrene	192-97-2	0.2	mg/kg	N.D.	N.D.	N.D.	0.2
(11)Benzo[a]pyrene	50-32-8	0.2	mg/kg	N.D.	N.D.	N.D.	0.2
(12)Indeno[1,2,3-cd]pyrene	193-39-5	0.2	mg/kg	N.D.	N.D.	N.D.	0.2
(13)Benzo[g,h,i]perylene	191-24-2	0.2	mg/kg	N.D.	N.D.	N.D.	0.2
(14)Benzo[j]fluoranthene	205-82-3	0.2	mg/kg	N.D.	N.D.	N.D.	0.2
(15)Dibenzo[a,h]anthracene	53-70-3	0.2	mg/kg	N.D.	N.D.	N.D.	0.2
Total PAHs	--	0.2	mg/kg	N.D.	N.D.	N.D.	10

Note :

1. mg/kg=milligrams per kilogram
2. N.D.=No Detection(<RL)
3. RL=Reporting Limit

This report shall not be altered, increased or deleted. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

E-mail :tst@tst-test.com

Http:www.tst-test.com



Test Report

Report No : TST25235600062CR

Date: Nov.05, 2025

Page 9 of 12

1.6. Bisphenol A(BPA) Content

Method: Refer to in house Method, was analyzed by HPLC.

Test Item(s)	Unit	RL	Limit	Result
Bisphenol A (BPA)	mg/kg	0.01	N.D.	N.D.

Note:

1. mg/kg=milligrams per kilogram
2. N.D. = Not Detected (<RL)
3. RL=Reporting Limit

1.7. Specific Migration of Aromatic amine (PAA)

Test Method: 3 %Acetic acid, 70℃, 2 hours, Refer to EN 13130-1:2004, was analyzed by HPLC.

No.	Name	CAS No.	Result			RL
			1st	2nd	3rd	
1	4-Aninobiphenyl	92-67-1	N.D.	N.D.	N.D.	0.002
2	4-Chloro-o-toluidine	95-69-2	N.D.	N.D.	N.D.	0.002
3	2-Naphthylamine	91-59-8	N.D.	N.D.	N.D.	0.002
4	o-Aminoazotoluene	97-56-3	N.D.	N.D.	N.D.	0.002
5	2-Amino-4-nitrotoluene	99-55-8	N.D.	N.D.	N.D.	0.002
6	p-Chloroaniline	106-47-8	N.D.	N.D.	N.D.	0.002
7	2,4-Diaminoanisole	615-05-4	N.D.	N.D.	N.D.	0.002
8	4,4'-Diaminobiphenylmethane	101-77-9	N.D.	N.D.	N.D.	0.002
9	3,3'-Dichlorobenzidine	91-94-1	N.D.	N.D.	N.D.	0.002
10	3,3'-Dimethoxybenzidine	119-90-4	N.D.	N.D.	N.D.	0.002
11	3,3'-Dimethylbenzidine	119-93-7	N.D.	N.D.	N.D.	0.002
12	3,3'-Dimethyl-4,4'-diaminobiphenylmethane	838-88-0	N.D.	N.D.	N.D.	0.002
13	p-Cresidine	120-71-8	N.D.	N.D.	N.D.	0.002
14	4,4'-Methylene-bis- (2-chloroaniline)	101-14-4	N.D.	N.D.	N.D.	0.002
15	4,4'-Oxydianiline	101-80-4	N.D.	N.D.	N.D.	0.002
16	4,4'-Thiodianiline	139-65-1	N.D.	N.D.	N.D.	0.002
17	o-Toluidine	95-53-4	N.D.	N.D.	N.D.	0.002
18	2,4-Toluyldiamine	95-80-7	N.D.	N.D.	N.D.	0.002
19	2,4,5-Trimethylaniline	137-17-7	N.D.	N.D.	N.D.	0.002
20	o-Anisidine	90-04-0	N.D.	N.D.	N.D.	0.002
21	2,4-Xylidine	95-68-1	N.D.	N.D.	N.D.	0.002
22	2,6-Xylidine	87-62-7	N.D.	N.D.	N.D.	0.002
23	m-phenylenediamine	108-45-2	N.D.	N.D.	N.D.	0.002
Sum of PAAs		-	N.D.	N.D.	N.D.	0.01

This report shall not be altered, increased or deleted. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel: +86-0769-85088050

E-mail: tst@tst-test.com

[Http://www.tst-test.com](http://www.tst-test.com)



Test Report

Report No : TST25235600062CR

Date: Nov.05, 2025

Page 10 of 12

Note:

1. mg/kg=milligrams per kilogram
2. N.D. = Not Detected (<RL)
3. RL=Reporting Limit

1.8. Specific Migration of Octene in olive oil

Test Item(s)	Simulant Used	Test Condition	RL	Result(mg/kg)			Limit(mg/kg)
				1st	2nd	3rd	
Specific Migration of Octene	olive oil	70°C, 2 hours	0.020	N.D.	N.D.	N.D.	0.020

Note:

1. mg/kg=milligrams per kilogram
2. N.D. = Not Detected (<RL)
3. RL=Reporting Limit

1.9. Specific Migration of Hexene in olive oil

Test Item(s)	Simulant Used	Test Condition	RL	Result(mg/kg)			Limit(mg/kg)
				1st	2nd	3rd	
Specific Migration of Hexene	olive oil	70°C, 2 hours	0.020	N.D.	N.D.	N.D.	0.020

Note:

1. mg/kg=milligrams per kilogram
2. N.D. = Not Detected (<RL)
3. RL=Reporting Limit

1.10. Visible Color Migration

Test Item(s)	Simulant Used	Test Condition	Result(Grade)
Visible Color Migration	Distilled water	23°C, 24h	5
	3% acetic acid	23°C, 24h	5
	Saliva	23°C, 24h	5

Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

This report shall not be altered, increased or deleted. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

E-mail :tst@tst-test.com

Http:www.tst-test.com



Test Report

Report No : TST25235600062CR

Date: Nov.05, 2025

Page 11 of 12

1.11. Migration of Phthalates

Method: 95 %Ethanol,60℃,2hours, Refer to EN 13130-1:2004, was analyzed by GC-MS

Test Item(s)	Unit	RL	Result	Limit
Dibutyl Phthalate(DBP)	mg/kg	0.2	N.D.	0.3
Benzylbutyl Phthalate (BBP)	mg/kg	0.2	N.D.	30
Di-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	0.2	N.D.	1.5
Dipentyl phthalate(DAP)	mg/kg	0.2	N.D.	N.D.
Diisodecyl Phthalate (DIDP)	mg/kg	0.2	N.D.	--
Diisononyl Phthalate(DINP)	mg/kg	0.2	N.D.	--
Diisodecyl Phthalate (DIDP)+Diisononyl Phthalate(DINP)	mg/kg	0.2	N.D.	9

Note:

1. mg/kg=milligrams per kilogram
2. N.D. = Not Detected (<RL)
3. RL=Reporting Limit

1.12. Phthalate content

Method:Refer to in house method, was analyzed by GC-MS

Test Item(s)	Unit	Result	RL	Limit
Dibutyl Phthalate(DBP)	mg/kg	N.D.	30	500
Benzylbutyl Phthalate (BBP)	mg/kg	N.D.	30	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	N.D.	30	1000
Diisononyl Phthalate(DINP)	mg/kg	N.D.	100	1000
Diisodecyl Phthalate (DIDP)	mg/kg	N.D.	100	1000

Note:

1. mg/kg=milligrams per kilogram
2. N.D. = Not Detected (<RL)
3. RL=Reporting Limit

This report shall not be altered, increased or deleted. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

E-mail :tst@tst-test.com

Http:www.tst-test.com




Test Report

Report No : TST25235600062CR

Date: Nov.05, 2025

Page 12 of 12

Sample pictures:



*** End of Report ***

This report shall not be altered, increased or deleted. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel:+86-0769-85088050 E-mail :tst@tst-test.com Http:www.tst-test.com

