



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 1 of 17

Applicant : Anhui Ruitu Communication Equipment Co., Ltd.
Address : East of Changning Road and North of Ronghua Road, Chahe Economic Development Zone,
Laian County, Chuzhou City, Anhui Province, China.
Manufacturer : Anhui Ruitu Communication Equipment Co., Ltd.
Address : East of Changning Road and North of Ronghua Road, Chahe Economic Development Zone,
Laian County, Chuzhou City, Anhui Province, China.

The following sample(s) was /were submitted and identified on behalf of the clients as :

Sample Name : PP Faucet
Sample Received Date : June 29, 2026
Testing Period : June 29, 2026 To July 01, 2026
Test Requested : Screening tests for 253 substances of high concern (SVHC) were carried out based on the candidate list of substances of high Concern for authorization consideration published by the European Chemicals Agency until 4 Feb 2026(in accordance with EU REACH Regulation 1907/2006).
Test Method : Please refer to next page(s).
Test Result : Please refer to next page(s).

Summary	: According to the specified scope and evaluation screening, the test results of SVHC are $\leq 0.1\%$ (w/w) in the submitted sample.	PASS
----------------	---	------



Scan QR code
verification of authenticity

Signed for and on behalf of

Andy Zheng
Technical Director

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel: +86-0769-85088050 E-mail: tst@tst-test.com Http: www.tst-test.com



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 2 of 17

Sample Description:

No.	Description
1.	Blue plastic (lid)
2.	White plastic (faucet)
3.	Transparent white plastic (lid)
4.	White plastic (faucet with wire)

1.Test Result(s):

Test Method: In-house method (WI-C0039&WI-C0107), analyzed by ICP-OES,GC-MS,UV-Vis,HPLC and UPLC-MS/MS.

No.	Substance Name	Result (%)	Limit	Conclusions
1+2+3+4(Mix)	Candidate List of Substances of Very High Concern	N.D.	0.1	PASS

This report shall not be altered,increased or deleted.The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel:+86-0769-85088050 E-mail:tst@tst-test.com Http:www.tst-test.com



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 3 of 17

Appendix Full list of tested SVHC Substances List and RL

No.	Substance Name	CAS No.	Equipment(s)	RL(%)
1	Alkanes, C10-13, chloro (Short ChainChlorinated Paraffins)	85535-84-8	GC-MS	0.010
2	Anthracene	120-12-7	GC-MS	0.005
3	Benzyl butyl phthalate (BBP)	85-68-7	GC-MS	0.005
4	Bis[2-ethyl(hexyl)phthalate] (DEHP)	117-81-7	GC-MS	0.005
5	Bis(tributyltin)oxide (TBTO)△	56-35-9	ICP-OES	0.005
6	Cobalt dichloride△	7646-79-9	ICP-OES	0.005
7	Diarsenic pentaoxide△	1303-28-2	ICP-OES	0.005
8	Diarsenic trioxide△	1327-53-3	ICP-OES	0.005
9	Dibutyl phthalate (DBP)	84-74-2	GC-MS	0.005
10	4, 4'- Diaminodiphenylmethane	101-77-9	UPLC-MS/MS	0.005
11	5-tert-butyl-2,4,6-trinitro-m- xylene (Musk xylene)	81-15-2	GC-MS	0.005
12	Hexabromocyclododecane (HBCDD) and diastereoisomers (α-HBCDD, β-HBCDD, γ-HBCDD)	25637-99-4 3194-55-6 (134237-50-6 134237-51-7 134237-52-8)	GC-MS	0.005
13	Lead hydrogen arsenate△	7784-40-9	ICP-OES	0.005
14	Sodium dichromate△	7789-12-0, 10588-01-9	ICP-OES/ UV-Vis	0.005
15	Triethyl arsenate△	15606-95-8	ICP-OES	0.005
16	Anthracene oil	90640-80-5	GC-MS	0.005
17	Anthracene oil, anthracene paste, distn. lights	91995-17-4	GC-MS	0.005
18	Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	GC-MS	0.005
19	Anthracene oil, anthracene-low	90640-82-7	GC-MS	0.005
20	Anthracene oil, anthracene paste	90640-81-6	GC-MS	0.005
21	Coal tar pitch, high temperature	65996-93-2	GC-MS	0.005
22	Acrylamide	79-06-1	GC-MS	0.005
23	2,4-Dinitrotoluene	121-14-2	GC-MS	0.005

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel: +86-0769-85088050 E-mail: tst@tst-test.com Http: www.tst-test.com



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 4 of 17

No.	Substance Name	CAS No.	Equipment(s)	RL(%)
24	Diisobutyl phthalate(DIBP)	84-69-5	GC-MS	0.005
25	Lead chromate△	7758-97-6	ICP-OES/ UV-Vis	0.005
26	Lead chromate molybdate Sulphate red (C.I. Pigment Red 104) △	12656-85-8	ICP-OES/ UV-Vis	0.005
27	Lead sulfochromate yellow (C.I. Pigment Yellow 34) △	1344-37-2	ICP-OES/ UV-Vis	0.005
28	Tris(2-chloroethyl) phosphate	115-96-8	GC-MS	0.005
29	Trichloroethylene	79-01-6	GC-MS	0.005
30	Boric acid△	10043-35-3/ 11113-50-1	ICP-OES	0.005
31	Disodium tetraborate, anhydrous△	1330-43-4 12179-04-3 1303-96-4	ICP-OES	0.005
32	Tetraboron disodium heptaoxide, hydrate△	12267-73-1	ICP-OES	0.005
33	Sodium chromate△	7775-11-3	ICP-OES/ UV-Vis	0.005
34	Potassium chromate△	7789-00-6	ICP-OES/ UV-Vis	0.005
35	Ammonium dichromate△	7789-09-5	ICP-OES/ UV-Vis	0.005
36	Potassium dichromate△	7778-50-9	ICP-OES/ UV-Vis	0.005
37	Cobalt(II) sulphate△	10124-43-3	ICP-OES	0.005
38	Cobalt(II) dinitrate△	10141-05-6	ICP-OES	0.005
39	Cobalt(II) carbonate△	513-79-1	ICP-OES	0.005
40	Cobalt(II) diacetate△	71-48-7	ICP-OES	0.005
41	2-Methoxyethanol	109-86-4	GC-MS	0.005
42	2-Ethoxyethanol	110-80-5	GC-MS	0.005
43	Chromium trioxide△	1333-82-0	ICP-OES/ UV-Vis	0.005
44	Acids generated from chromium trioxide and their oligomers: Chromium acid△ Dichromium acid△	-- 7738-94-5 13530-68-2	ICP-OES/ UV-Vis	0.005

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel:+86-0769-85088050 E-mail:tst@tst-test.com Http:www.tst-test.com



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 5 of 17

No.	Substance Name	CAS No.	Equipment(s)	RL(%)
	Oligomers of chromic acid and dichromic acid△	--		
45	2-ethoxyethylacetate	111-15-9	GC-MS	0.005
46	1,2-Benzenedicarboxylic acid, di-C7-11 branched and linear alkyl esters (DHNU)	68515-42-4	GC-MS	0.005
47	Hydrazine	7803-57-8, 302-01-2	HPLC	0.005
48	1-methyl-2-pyrrolidone	872-50-4	GC-MS	0.005
49	1,2,3-trichloropropane	96-18-4	GC-MS	0.005
50	1, 2-benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	GC-MS	0.005
51	Strontium chromate△	7789-06-2	ICP-OES	0.005
52	Dichromium tris(chromate)△	24613-89-6	ICP-OES	0.005
53	Potassium hydroxyoctaoxodizincatedi-chromate△	11103-86-9	ICP-OES	0.005
54	Pentazinc chromate octahydroxide△	49663-84-5	ICP-OES/ UV-Vis	0.005
55	Aluminosilicate, Refractory Ceramic Fibres (RCF)△	--	ICP-OES	0.005
56	Zirconia Aluminosilicate, Refractory Ceramic Fibres (Zr-RCF)△	--	ICP-OES	0.005
57	Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4	UPLC-MS/MS	0.005
58	Bis(2-methoxyethyl) phthalate	117-82-8	GC-MS	0.005
59	2-Methoxyaniline; o-Anisidine	90-04-0	UPLC-MS/MS	0.005
60	4-(1,1,3,3-tetramethylbutyl)phenol, (4-tert-Octylphenol)	140-66-9	GC-MS	0.005
61	1,2-Dichloroethane	107-06-2	GC-MS	0.005
62	Bis(2-methoxyethyl) ether	111-96-6	GC-MS	0.005
63	Arsenic acid△	7778-39-4	ICP-OES	0.005
64	Calcium arsenate△	7778-44-1	ICP-OES	0.005
65	Trilead diarsenate△	3687-31-8	ICP-OES	0.005
66	N,N-dimethylacetamide (DMAC)	127-19-5	GC-MS	0.005
67	2,2'-dichloro-4,4'-methylenedianiline	101-14-4	UPLC-MS/MS	0.005

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel: +86-0769-85088050

E-mail: tst@tst-test.com

[Http://www.tst-test.com](http://www.tst-test.com)



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 6 of 17

No.	Substance Name	CAS No.	Equipment(s)	RL(%)
68	Phenolphthalein	77-09-8	UPLC-MS/MS	0.005
69	Lead azide Lead diazide△	13424-46-9	ICP-OES	0.005
70	Lead styphnate△	15245-44-0	ICP-OES	0.005
71	Lead dipicrate△	6477-64-1	ICP-OES	0.005
72	Methoxyethoxy ethane (TEGDME; triglyme)	112-49-2	GC-MS	0.005
73	1,2-dimethoxyethane; ethylene glycol dimethyl ether(EGDME)	110-71-4	GC-MS	0.005
74	Diboron trioxide△	1303-86-2	ICP-OES	0.005
75	Formamide	75-12-7	GC-MS	0.005
76	Lead(II) bis(methanesulfonate)△	17570-76-2	ICP-OES	0.005
77	1,3,5-tris (oxiranylmethyl) -1,3,5 -triazine-2,4,6 (1H,3H,5H)-trione (TGIC)	2451-62-9	GC-MS	0.005
78	1,3,5-tris [(2Sand2R)-2,3 -epoxypropyl] -1,3,5-triazine-2,4,6- (1H,3H,5H)-trione (β-TGIC)	59653-74-6	GC-MS	0.005
79	4,4'-bis (dimethylamino) benzophenone (Michler's ketone)	90-94-8	GC-MS	0.005
80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	GC-MS	0.005
81	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)	2580-56-5	UPLC-MS/MS	0.005
82	[4-[4,4'-bis(dimethylamino) benzhydrylidene] cyclohexa -2,5- dien-1-ylidene] dimethylammonium chloride(C.I. Basic Violet 3)	548-62-9	UPLC-MS/MS	0.005
83	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol	561-41-1	UPLC-MS/MS	0.005
84	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1 -methanol (C.I. Solvent Blue 4)	6786-83-0	UPLC-MS/MS	0.005
85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	GC-MS	0.005
86	Pentacosafuorotridecanoic acid	72629-94-8	UPLC-MS/MS	0.005

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel: +86-0769-85088050 E-mail: tst@tst-test.com Http: www.tst-test.com



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 7 of 17

No.	Substance Name	CAS No.	Equipment(s)	RL(%)
87	Tricosafuorododecanoic acid	307-55-1	UPLC-MS/MS	0.005
88	Henicosafuoroundecanoic acid	2058-94-8	UPLC-MS/MS	0.005
89	Heptacosafuorotetradecanoic acid	376-06-7	UPLC-MS/MS	0.005
90	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	HPLC	0.005
91	Cyclohexane-1,2-dicarboxylic anhydride [1] cis-cyclohexane-1,2-dicarboxylic anhydride [2] trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry]	85-42-7, 13149-00-3, 14166-21-3	GC-MS	0.005
92	Hexahydromethylphthalic anhydride [1], Hexahydro- 4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]	25550-51-0, 19438-60-9, 48122-14-1, 57110-29-9	GC-MS	0.005
93	4-Nonylphenol, branched and linear[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	--	GC-MS	0.005
94	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well- defined substances and UVCB substances, polymers and homologues]	--	UPLC-MS/MS	0.005
95	Methoxyacetic acid	625-45-6	UPLC-MS/MS	0.005
96	N,N-dimethylformamide	68-12-2	GC-MS	0.005
97	Dibutyltin dichloride (DBTC)△	683-18-1	ICP-OES	0.005
98	Lead monoxide (Lead oxide)△	1317-36-8	ICP-OES	0.005
99	Orange lead (Lead tetroxide)△	1314-41-6	ICP-OES	0.005

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel:+86-0769-85088050 E-mail:tst@tst-test.com Http:www.tst-test.com



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 8 of 17

No.	Substance Name	CAS No.	Equipment(s)	RL(%)
100	Lead bis(tetrafluoroborate)△	13814-96-5	ICP-OES	0.005
101	Trilead bis(carbonate) dihydroxide△	1319-46-6	ICP-OES	0.005
102	Lead titanium trioxide△	12060-00-3	ICP-OES	0.005
103	Lead titanium zirconium oxide△	12626-81-2	ICP-OES	0.005
104	Silicic acid, lead salt△	11120-22-2	ICP-OES	0.005
105	Silicic acid (H ₂ SiO ₅), barium salt (1:1), lead-doped [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008]△	68784-75-8	ICP-OES	0.005
106	1-bromopropane (n-propyl bromide)	106-94-5	GC-MS	0.005
107	Methyloxirane (Propylene oxide)	75-56-9	GC-MS	0.005
108	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	GC-MS	0.005
109	Diisopentylphthalate (DIPP)	605-50-5	GC-MS	0.005
110	N-pentyl-isopentylphthalate	776297-69-9	GC-MS	0.005
111	1,2-diethoxyethane	629-14-1	GC-MS	0.005
112	Acetic acid, lead salt, basic△	51404-69-4	ICP-OES	0.005
113	Lead oxide sulfate△	12036-76-9	ICP-OES	0.005
114	[Phthalato(2-)]dioxotrilead△	69011-06-9	ICP-OES	0.005
115	Dioxobis(stearato)trilead△	12578-12-0	ICP-OES	0.005
116	Fatty acids, C16-18, lead salts△	91031-62-8	ICP-OES	0.005
117	Lead cyanamidate△	20837-86-9	ICP-OES	0.005
118	Lead dinitrate△	10099-74-8	ICP-OES	0.005
119	Pentalead tetraoxide sulphate△	12065-90-6	ICP-OES	0.005
120	Pyrochlore, antimony lead yellow△	8012-00-8	ICP-OES	0.005
121	Sulfurous acid, lead salt, dibasic△	62229-08-7	ICP-OES	0.005
122	Tetraethyl lead△	78-00-2	ICP-OES	0.005
123	Tetralead trioxide sulphate△	12202-17-4	ICP-OES	0.005

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel:+86-0769-85088050 E-mail:tst@tst-test.com Http:www.tst-test.com



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 9 of 17

No.	Substance Name	CAS No.	Equipment(s)	RL(%)
124	Trilead dioxide phosphonate△	12141-20-7	ICP-OES	0.005
125	Furan	110-00-9	GC-MS	0.005
126	Diethyl sulphate	64-67-5	GC-MS	0.005
127	Dimethyl sulphate	77-78-1	GC-MS	0.005
128	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	GC-MS	0.005
129	Dinoseb (6-sec-butyl-2,4 -dinitrophenol)	88-85-7	UPLC-MS/MS	0.005
130	4,4'-methylenedi-o-toluidine	838-88-0	UPLC-MS/MS	0.005
131	4,4'-oxydianiline and its salts	101-80-4	UPLC-MS/MS	0.005
132	4-aminoazobenzene	60-09-3	UPLC-MS/MS	0.005
133	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	UPLC-MS/MS	0.005
134	6-methoxy-m-toluidine (p-cresidine)	120-71-8	UPLC-MS/MS	0.005
135	Biphenyl-4-ylamine	92-67-1	UPLC-MS/MS	0.005
136	o-aminoazotoluene [(4-o-tolylazo-o-toluidine)]	97-56-3	UPLC-MS/MS	0.005
137	o-toluidine	95-53-4	UPLC-MS/MS	0.005
138	N-methylacetamide	79-16-3	GC-MS	0.005
139	Cadmium	7440-43-9	ICP-OES	0.005
140	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	UPLC-MS/MS	0.005
141	Pentadecafluorooctanoic acid (PFOA)	335-67-1	UPLC-MS/MS	0.005
142	Dipentyl phthalate (DPP)	131-18-0	GC-MS	0.005
143	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	--	UPLC-MS/MS	0.005
144	Cadmium oxide △	1306-19-0	ICP-OES	0.005
145	Cadmium sulphide △	1306-23-6	ICP-OES	0.005
146	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)	1937-37-7	UPLC-MS/MS	0.005

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

E-mail:tst@tst-test.com

Http:www.tst-test.com



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 10 of 17

No.	Substance Name	CAS No.	Equipment(s)	RL(%)
	naphthalene-2,7-disulphonate (C.I. Direct Black 38)			
147	Dihexyl phthalate	84-75-3	GC-MS	0.005
148	Imidazolidine-2-thione; (2-imidazoline-2-thiol)	96-45-7	UPLC-MS/MS	0.005
149	Trixylyl phosphate	25155-23-1	GC-MS	0.005
150	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)] bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red28)	573-58-0	UPLC-MS/MS	0.005
151	Lead di(acetate) Δ	301-04-2	ICP-OES	0.005
152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	GC-MS	0.005
153	Cadmium chloride Δ	10108-64-2	ICP-OES	0.005
154	Sodium perborate Δ ; perboric acid, sodium salt Δ	--	ICP-OES	0.005
155	Sodium peroxometaborate Δ	7632-04-4	ICP-OES	0.005
156	Cadmium fluoride Δ	7790-79-6	ICP-OES	0.005
157	Cadmium sulphate Δ	10124-36-4; 31119-53-6	ICP-OES	0.005
158	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	GC-MS	0.005
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	GC-MS	0.005
160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1	ICP-OES	0.005
161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	--	ICP-OES	0.005
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with $\geq 0.3\%$ of dihexyl phthalate	68515-51-5 68648-93-1	GC-MS	0.005

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel: +86-0769-85088050

E-mail: tst@tst-test.com

[Http://www.tst-test.com](http://www.tst-test.com)



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 11 of 17

No.	Substance Name	CAS No.	Equipment(s)	RL(%)
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3- dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	--	GC-MS	0.005
164	1,3-propanesultone	1120-71-4	GC-MS	0.005
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	GC-MS	0.005
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	GC-MS	0.005
167	Nitrobenzene	98-95-3	GC-MS	0.005
168	Perfluorononan-1-oic acid (2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluoro nonanoic acid and its sodium and ammonium salts	375-95-1 21049-39-8 4149-60-4	UPLC-MS/MS	0.005
169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	GC-MS	0.005
170	4,4'-Isopropylidenediphenol (Bisphenol A)	80-05-7	UPLC-MS/MS	0.005
171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	3108-42-7; 335-76-2; 3830-45-3	UPLC-MS/MS	0.005
172	4-Heptylphenol, branched and linear	--	GC-MS	0.005
173	4-tert-pentylphenol(PTAP)	80-46-6	GC-MS	0.005
174	Perfluorohexane-1-sulphonic acid and its salts (PFHxS)	--	UPLC-MS/MS	0.005
175	Chrysene	218-01-9	GC-MS	0.005
176	Benz[a]anthracene	56-55-3	GC-MS	0.005
177	Cadmium nitrate△	10325-94-7	ICP-OES	0.005
178	Cadmium carbonate△	513-78-0	ICP-OES	0.005
179	Cadmium hydroxide△	21041-95-2	ICP-OES	0.005
180	Dechlorane plus (including any of its individual anti- and syn-isomers or any combination thereof)	13560-89-9; 135821-74-8; 135821-03-3	GC-MS	0.005
181	Reaction products of	--	GC-MS	0.005

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel: +86-0769-85088050

E-mail: tst@tst-test.com

[Http://www.tst-test.com](http://www.tst-test.com)



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 12 of 17

No.	Substance Name	CAS No.	Equipment(s)	RL(%)
	1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with $\geq 0.1\%$ w/w 4-heptylphenol, branched and linear]			
182	Octamethylcyclotetrasiloxane (D4)	556-67-2	GC-MS	0.005
183	Decamethylcyclopentasiloxane (D5)	541-02-6	GC-MS	0.005
184	Dodecamethylcyclohexasiloxane (D6)	540-97-6	GC-MS	0.005
185	Lead	7439-92-1	ICP-OES	0.005
186	Disodium octaborate Δ	12008-41-2	ICP-OES	0.005
187	Benzo[ghi]perylene	191-24-2	GC-MS	0.005
188	Terphenyl hydrogenated	61788-32-7	GC-MS	0.005
189	Ethylenediamine (EDA)	107-15-3	UPLC-MS/MS	0.005
190	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA)	552-30-7	GC-MS	0.005
191	Dicyclohexyl phthalate (DCHP)	84-61-7	GC-MS	0.005
192	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	GC-MS	0.005
193	Benzo(k)fluoranthene	207-08-9	GC-MS	0.005
194	Fluoranthene	206-44-0	GC-MS	0.005
195	Phenanthrene	85-01-8	GC-MS	0.005
196	Pyrene	129-00-0	GC-MS	0.005
197	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1] heptan-2-one	15087-24-8	GC-MS	0.005
198	2-methoxyethyl acetate	110-49-6	GC-MS	0.005
199	Tris(4-nonylphenyl, branched and linear) phosphite	--	GC-MS	0.005
200	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any	--	UPLC-MS/MS	0.005

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel: +86-0769-85088050 E-mail: tst@tst-test.com Http: www.tst-test.com



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 13 of 17

No.	Substance Name	CAS No.	Equipment(s)	RL(%)
	of their individual isomers and combinations thereof)			
201	4-tert-butylphenol	98-54-4	GC-MS	0.005
202	2-benzyl-2-dimethylamino-4'-morpholinobutyroph enone	119313-12-1	HPLC	0.005
203	2-methyl-1-(4-methylthiophenyl)-2-morpholinopro pan-1-one	71868-10-5	HPLC	0.005
204	Diisohexyl phthalate	71850-09-4	GC-MS	0.005
205	Perfluorobutane sulfonic acid (PFBS) and its salts	--	UPLC-MS/MS	0.005
206	1-vinylimidazole	1072-63-5	HPLC	0.005
207	2-methylimidazole	693-98-1	HPLC	0.005
208	Butyl4- hydroxybenzoate	94-26-8	GC-MS	0.005
209	Dibutylbis(pentane-2,4-dionato-O,O') tin△	22673-19-4	ICP-OES	0.005
210	Tetraethylene glycol dimethyl ether	143-24-8	GC-MS	0.005
211	Diocetyl tin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety△	--	ICP-OES	0.005
212	1,4-dioxane	123-91-1	GC-MS	0.005
213	2,2-bis(bromomethyl)propane1,3-diol (BMP) 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propa nol (TBNPA)	3296-90-0 36483-57-5 1522-92-5	GC-MS	0.005

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel: +86-0769-85088050 E-mail: tst@tst-test.com Http: www.tst-test.com



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 14 of 17

No.	Substance Name	CAS No.	Equipment(s)	RL(%)
	2,3-dibromo-1-propanol (2,3-DBPA)			
214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	--	GC-MS	0.005
215	4,4'-(1-methylpropylidene)bisphenol	77-40-7	HPLC	0.005
216	Glutaraldehyde	111-30-8	GC-MS	0.005
217	Medium-chain chlorinated paraffins (MCCP)	85535-85-9	GC-MS	0.005
218	Orthoboric acid, sodium salt	13840-56-7	ICP-OES	0.005
219	Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	--	GC-MS	0.005
220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene] bicyclo [2.2.1] heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	--	GC-MS	0.010
221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (DBMC)	119-47-1	GC-MS	0.010
222	Tris(2-methoxyethoxy)vinylsilane	1067-53-4	GC-MS	0.010
223	S-(tricyclo[5.2.1.0 ^{2,6}]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	GC-MS	0.005
224	N-(hydroxymethyl)acrylamide	924-42-5	UPLC-MS/MS	0.010
225	1,1'-[ethane-1,2-diylbis(oxy)]bis[2,4,6-tribromobenzene]	37853-59-1	GC-MS	0.010
226	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	79-94-7	GC-MS	0.010
227	4,4'-sulphonyldiphenol	80-09-1	UPLC-MS/MS	0.010
228	Barium diboron tetraoxide△	13701-59-2	ICP-OES	0.005
229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	--	GC-MS	0.010

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel: +86-0769-85088050 E-mail: tst@tst-test.com Http: www.tst-test.com



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 15 of 17

No.	Substance Name	CAS No.	Equipment(s)	RL(%)
230	Isobutyl 4-hydroxybenzoate	4247-02-3	UPLC-MS/MS	0.010
231	Melamine	108-78-1	HPLC	0.010
232	Perfluoroheptanoic acid and its salts	--	UPLC-MS/MS	0.010
233	reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine	--	GC-MS	0.010
234	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	HPLC	0.005
235	Bis(4-chlorophenyl) sulphone	80-07-9	GC-MS	0.005
236	2,4,6-tris(tert-butyl) phenol (2,4,6-TTBP)	732-26-3	GC-MS	0.010
237	2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol(UV-329)	3147-75-9	GC-MS	0.010
238	2-Dimethylamino-2-(4-methyl-benzyl)-1-(4-morpholin-4-yl-phenyl)-butan-1-one(PI-379)	119344-86-4	HPLC	0.010
239	Bumetrizole(UV-326)	3896-11-5	GC-MS	0.010
240	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol	--	GC-MS	0.010
241	Bis(α,α-dimethylbenzyl) peroxide	80-43-3	HPLC	0.005
242	Triphenyl phosphate	115-86-6	GC-MS	0.005
243	6-[(C10-C13)-alkyl-(branched, unsaturated)-2,5-dioxopyrrolidin-1-yl]hexanoic acid	2156592-54-8	GC-MS	0.005
244	O,O,O-triphenyl phosphorothioate	597-82-0	GC-MS	0.005
245	Octamethyltrisiloxane	107-51-7	GC-MS	0.010
246	Perfluamine	338-83-0	GC-MS	0.005
247	Reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	192268-65-8	GC-MS	0.005
248	Decamethyltetrasiloxane	141-62-8	GC-MS	0.005
249	1,1,1,3,5,5,5-heptamethyl-3-[(trimethylsilyl)oxy]trisilox	17928-28-8	GC-MS	0.005

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel: +86-0769-85088050

E-mail: tst@tst-test.com

[Http://www.tst-test.com](http://www.tst-test.com)



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 16 of 17

No.	Substance Name	CAS No.	Equipment(s)	RL(%)
	ane			
250	Tetra(sodium/potassium) 7-[(E)-{2-acetamido-4-[(E)-(4-[4-chloro-6-({2-[(4-fluor o-6-[[4-(vinylsulfonyl)phenyl]amino)-1,3,5-triazine-2-yl)amino]propyl]amino)-1,3,5-triazine-2-yl]amino)-5-sulf onato-1-naphthyl)diazeny]-5-methoxyphenyl)diazeny l]-1,3,6-naphthalenetrisulfonate; Reactive Brown 51	--	UPLC-MS/MS	0.005
251	1,1'-(ethane-1,2-diyl)bis[pentabromobenzene] (DBDPE)	84852-53-9	GC-MS	0.005
252	n-hexane	110-54-3	GC-MS	0.005
253	Bisphenol AF and its salts	--	GC-MS	0.005

Note:

1. "*" = Calculated concentration of bis(tributyltin)oxide TBTO is based on the identified tributyltin, TBT results. The result is screening testing of TBTO and other salts under current technology.
2. "***" = Calculated concentration of cobalt dichloride is based on the identified heavy metal and anion result. Calculated concentration of diarsenic pentaoxide, diarsenic trioxide, sodium dichromate, dehydrate, Lead hydrogen arsebnate and triethyl arsenate are based on the identified heavy matal result.
3. Test Method : Analyzed by ICP-OES, UV-Vis, GC-MS, HPLC-DAD/MS and Colorimetric Method.
4. RL = Reporting Limit
5. N.D. = No Detection (<RL)
6. Limit: 0.1% (each)
7. "△" = Determination was based on elemental analysis. The concentration was calculated based on assumption of worst-case.

Remarks:

1. The lists are under evaluation by ECHA and may subject to change in the future.

2. Concerning article(s):

Article 33 of Regulation(EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.

Note: In accordance Regulation (EC) No. 1907/2006, any producer or importer of articles shall notify REACH, In accordance paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance Article 59 (1) of the Regulation, namely

- (a) the substance is present in those article in quantities totaling over one ton per producer per year;

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel: +86-0769-85088050

E-mail: tst@tst-test.com

Http: www.tst-test.com



Test Report

Report No : TST26235100681CR

Date: July 01, 2026

Page 17 of 17

(b) the substance is present in those articles higher than 0.1% weight by weight (w/w).

3. Concerning material(s):

Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogeneous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article.

If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No.1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation(EC) No.1907/2006.

4. If a composition result found over the LOQ, separation test suggested to confirm which material contains SVHC and the exact concentration by requesting further quantitative.

Sample pictures:



*** End of Report ***

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.
Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China
Tel: +86-0769-85088050 E-mail: tst@tst-test.com Http: www.tst-test.com